




SECTION a3-a3




SECTION a2-a2



SECTION a1-a1




LINTEL LEVEL PLAN




SILL LEVEL PLAN


DETAIL-A
(TYP. DETAIL OF JAMB, SILL BAND (S4C) & LINTEL BAND (L4C)
FOR WINDOW OPENING)




SECTION a5-a5




SECTION b2-b2



SECTION b1-b1




LINTEL LEVEL PLAN




SILL LEVEL PLAN

DETAIL-B
(TYP. DETAIL OF JAMBS (JB4), SILL BAND (S4b), LINTEL BAND (L4b)
FOR WINDOW OPENING
(FOR LOCATION OF JAMBS (JB4) REFER SILL LEVEL PLAN)



SECTION b4-b4




SECTION b3-b3




LINTEL LEVEL PLAN




SILL LEVEL PLAN




SECTION c3-c3




SECTION c2-c2



SECTION c1-c1




LINTEL LEVEL PLAN




SILL LEVEL PLAN


TYP. DETAIL OF SILL FOR SMALL
OPENINGS WITHOUT JAMBS
(FOR LOCATION OF REFER ARCH. DRAWINGS)




SECTION d3-d3




SECTION d2-d2



SECTION d1-d1




LINTEL LEVEL PLAN




SILL LEVEL PLAN

DETAIL-D FOR STAIRCASE PORTION
(TYP. DETAIL OF JAMB, SILL BAND (S4C) &
LINTEL BAND (L4C) FOR WINDOW)



SECTION d5-d5



SECTION d4-d4



LINTEL LEVEL PLAN



SILL LEVEL PLAN

DETAIL	REMARKS
REFERENCE	ALL DIMENSIONS TO BE CHECKED AND CORRELATED WITH ALL RELATED DRAWINGS AND ANY AMBIGUITY SHALL BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE ENGINEERS BEFORE COMMENCEMENT OF THE WORK.
DIMENSION	ALL DIMENSIONS ARE TO BE READ AND NOT TO BE MEASURED.
CSEB MASONRY SPEC.	ALL CSEB MASONRY WALLS SHALL BE CONSTRUCTED FROM COMPRESSED EARTH BLOCK WITH MIN. CRUSHING STRENGTH OF 7.5 N/mm ² ON GROSS AREA UNLESS OTHERWISE SPECIFIED. BRICK MASONRY SHALL BE BEDDED WITH CEMENT : SAND MORTAR IN PROPORTION OF 1:4 UNLESS OTHERWISE SPECIFIED.
CONC. SPEC.	ALL CONCRETE MIX M25 UNLESS OTHERWISE SPECIFIED.
REINFORCEMENT	INDICATE TMT STEEL YIELD STRENGTH 500 N/mm ²
COVER	CLEAR COVER TO MAIN STEEL IS AS FOLLOWS: FOOTINGS : SIDES & TOP : 50 mm BOTTOM : 50 mm COLUMNS & PEDESTALS : 40 mm BEAMS & LINTELS : 30 mm SLABS : 25 mm
LAPS/ SPLICES	LAP LENGTH IS FIFTY TIMES BAR DIAMETER

FOR TENDER PURPOSE ONLY

No. Date. Remarks.

Revisions

Date Prints Issued to Date Prints Issued to

Distribution of Prints

Consultants

- **Structural Consultants**
VINOD SHAH Consulting Engineers Pvt. Ltd.
- **Services Consultants**
DBHMS
- **Landscape Consultants**
Earthscapes Consultancy Pvt Ltd
- **Road and Pathways Consultants**
Arhmm Infra Consultants LLP

Project

Nalanda University, Rajgir, Bihar

Title
**STRUCTURAL G.A. DRAWINGS OF
TYP. FLOOR SILL & LINTEL LVL.
DETAILS FOR FACULTY HOUSING
(APPT. TYPE-2)**

Dealt : DILIP
Checked : AJ
Scale : 1:50, 1:25
Date : 07/09/2016

Drawing No.
NUC- FAH(2)-S-A.6.1

VASTU SHILPA CONSULTANTS
Architects | Planners | Urban Designers

'Sangath', Thaltej Road, Ahmedabad - 380054
Phone: 079 - 27454537 Fax: 079 - 27452006
www.sangath.org e-mail: vsc@sangath.org